

AkzoNobel Car Refinishes

Color Studio News Flash

>> Ready Mix Colors <<

Over the last few years some car manufacturers have selected colors that contain “special pigments” These pigments are not in our regular toner assortment.

Please contact Your Distributor / Branch to order the pre-mixed paint for these colors

Ready Mix is available only in Sikkens

Some Colors have variants which can be mixed using regular toners, formulas for these variants are provided below

Make	Color Name	Color Code	Special Tinter		Variants	Formula Availability
Holden	Poison Ivy	746S	NSQ302	Chromaflair Silver Green 060	1 Variant (C)	Standard is Ready mix (C) variant formula provided below
Ford	Obsession	OB	SEC6233	Chromaflair Blue Red 280	No Variants	Only Ready Mix
Ford	Mystic	MY	NSQ003	Colorstream Arctic Fire	No Variants	Only Ready Mix
Ford	Fantasy	CF	SEC6723 and SEC5673	Chromaflair Cyan Purple 230 and Chromaflair Green Purple 190	3 Variants (L), (L1) and (L2)	Only Ready Mix
Nissan	Midnight Purple	LX0	SEC6233	Chromaflair Blue Red 280	No Variants	Only Ready Mix
Mitsubishi	Dark Grey	GB, A67	NSQ001	Colorstream Viola Fantasy	2 Variants (D) and (C)	Standard Ready mix (D) and (C) formulas below

Manufacturer - Mitsubishi
Akzo Code - MIT9890(D)
Description - Dark Gray
Car Code - GB , A67

Product		Lesonal SB
Colorant	Amount (1 Liter)	Cumulative (1 Liter)
96M	455.5	455.5
04	28	483.5
95M	38.8	522.3
45	58.8	581.1
43	78.7	659.8
84	89.8	749.6
23	197.1	946.7

Message: Must be verified by spray out.

Manufacturer - Mitsubishi
Akzo Code - MIT9890(C)
Description - Dark Gray
Car Code - GB , A67

Product		Lesonal SB
Colorant	Amount (1 Liter)	Cumulative (1 Liter)
96M	389.5	389.5
04	63.4	452.9
84	66.5	519.4
95M	86.2	605.6
43	100.9	706.5
23	109.5	816
22	132.8	948.8

Message: Must be verified by spray out.

Manufacturer - Holden Motor Co.
Akzo Code - HLD9636(C)
Description - Poison Ivy
Car Code - 746S

Product		Lesonal SB	
Colorant	Amount (1 Liter)	Cumulative (1 Liter)	
95P	584.5	584.5	
23	27.4	611.9	
92P	33.6	645.5	
04	144.1	789.6	
51	168.9	958.5	

Message: Must be verified by spray out.